

Caldaia a pellet per la produzione di acqua da riscaldamento centralizzata. Predisposizione kit per acqua calda sanitaria.



- Monoblocco in acciaio
- Maniglia in acciaio verniciato
- Cassetto cenere estraibile
- Centralina di programmazione
- Pulizia ciclica del braciere
- Acqua calda sanitaria (optional)
- Braciere in acciaio
- Rivestimento in acciaio verniciato
- Piano superiore in acciaio
- Scarico fumi di serie
- Telecomando

Pellet boiler for the production of water by heating centralized. Preparation kit for domestic hot water.


- Monobloc stainless steel
- Painted steel handle
- Air deflector
- Removable ash drawer
- Control programming
- Cleaning cyclic brazier
- Stainless brazier
- Coating painted steel
- Top in painted steel
- Exhaust fumes series
- Remote control
- Hot water (optional)

## Modello Mini/Small/Big


Cod. C103/01/02




Fronte / Front



Lato destro / DX side



Alto / Top



Retro / Back side



M/S/B

Dimensioni (cm) / Dimensions (cm)

65,0 L x 65,0 P x 130,7 H

Peso netto (Kg) / Net weight (Kg)

220 - 225 - 230 - 250 - 260 - 270

Volume riscaldabile (m<sup>3</sup>) / Room heating capacity (m<sup>3</sup>)

510 - 570 - 620 - 675 - 730 - 810

Metri quadri riscaldabili (m<sup>2</sup>) / Room heating capacity (m<sup>2</sup>)

190 - 210 - 230 - 250 - 270 - 300

Potenza termica del focolare (kW) / Firebox heat output

18,3 - 20,5 - 22,1 - 24,0 - 26,1 - 29,0

Potenza termica nominale / Nominal heat output (kW)

16,5 - 18,1 - 19,5 - 21,1 - 23,0 - 25,6

Rendimento termico / Thermal efficiency (%)

89,9 - 88,1 - 88,1 - 88,1 - 88,1 - 88,1

Consumo nominale / Nominal consumption (Kg)

3,8 - 4,3 - 4,6 - 5,0 - 5,4 - 6,0

Capienza serbatoio / Hopper capacity (litri - Kg circa)

85 litri - 57 Kg