

Stufa a pellet dal design contemporaneo,
per la produzione di acqua da riscaldamento
con sistema di ventilazione regolabile.
Predisposizione kit per acqua calda sanitaria.

Pellet stove with a contemporary design,
for the production of water by heating
with adjustable ventilation system.
Preparation kit for domestic hot water.

- Monoblocco in acciaio
- Maniglia in acciaio verniciato
- Defflettore d'aria
- Cassetto cenere estraibile
- Centralina di programmazione
- Pulizia ciclica del braciere
- Braciere in acciaio
- Rivestimento in acciaio verniciato
- Piano superiore in acciaio verniciato
- Scarico fumi di serie
- Telecomando
- Acqua calda sanitaria (optional)

- Monobloc stainless steel
- Painted steel handle
- Air deflector
- Removable ash drawer
- Control programming
- Cleaning cyclic brazier
- Stainless brazier
- Coating painted steel
- Top in painted steel
- Exhaust fumes series
- Remote control
- Hot water (optional)



Cod. ST10/11/12 (white)



Cod. ST10/11/12 (black)








Cod. ST10/11/12 (ivory)



Cod. ST10/11/12 (red)



Cod. ST10/11/12 (wengè)



Fronte / Front

Alto / Top

Lato destro / DX side

Retro / Back side

Dimensioni (cm) / Dimensions (cm)

Peso netto (Kg) / Net weight (Kg)

Volume riscaldabile (m³) / Room heating capacity (m³)

Metri quadri riscaldabili (m²) / Room heating capacity (m²)

Potenza termica del focolare (kW) / Firebox heat output

Potenza termica nominale / Nominal heat output (kW min-max)

Rendimento termico / Thermal efficiency (%)

Consumo nominale / Nominal consumption (Kg min-max)

Capienza serbatoio / Hopper capacity (litri - Kg circa)

Disponibile in tre versioni: 24 Kw / 22Kw / 20 Kw

110 L x 35 P x 118,5 H / 114,5 H / 113,5 H

165 / 160 / 158

590 / 545 / 500

220 / 200 / 185

24 / 22 / 20,1

7,1>22,5 / 6,6<20,7 / 5,9>18,9

94

1,70>5,40 / 1,60<4,95 / 1,41>4,40

55 litri . 35 kg